		_/(
libX.a	X_1.0	ftn_X_1_1()
		ftn_X_1_2()
	X_2.0	ftn_X_2()
	vproc_libX.o	T1111V01_30sep2000_08jul2000_X()

FlG. 2

		<i>←</i> 30
libY.a	Y_1.0	ftn_Y_1()
	Y_2.0	ftn_Y_2_1()
		ftn_Y_2_2()
	vproc_libY.o	T2222V02_30sep2000_19jul2000_Y()

F1G.3.

_30	
main()	
ftn_X_1_1()	
ftn_X_1_2()	
ftn_X_2()	
ftn_Y_1()	
ftn_Y_2_1()	
ftn_Y_2_2()	
T0123V01_30sep2000_20jul20000)	,
T1111V01_30sep2000_08jul2000_X()	
T2222V02_30sep2000_19jul2000_Y()	2

FIG.4

/usr/bin/prog_a

GMT Binder timestamp: 21JUL2000 17:18:06

Version procedure: T0123V01_30SEP2000_20Jul2000


Version procedure: T1111V01_30SEP2000_09Jul2000_X

Version procedure: T2222V02_30SEP2000_19Jul2000_Y

Version procedure: T8432D44_01DEC97_CRTLMAIN

Native Mode: runnable file

F1G.5








FIG. 7





F/G. 9